NOTES:

I. MATERIALS AND FINISHES:

- ZINC DIECAST, NICKEL PLATING CONTACT - PHOSPHOR BRONZE, GOLD PLATING

INSULATOR - DELRIN, NATURAL

LOCK WASHER & SOLDER TAG - BRASS, NICKEL PLATED

HEX NUT - CARBON STEEL, NICKEL PLATED

2. ELECTRICAL:

A. IMPEDANCE: 50 OHM

B. DIELECTRIC WITHSTANDING VOLTAGE: 1000 VRMS, MIN.


3. MECHANICAL:

A. DURABILITY: 500 CYCLES MIN.

B. TEMPERATURE RANGE: -40°C TO +85°C


4. MAX. PANEL THICKNESS IS 3.3 MM


5. PACKAGING:




THIRD ANGLE PROJ. 🕀 🖯

RECOMMENDED MOUNTING HOLE DIMENSIONS





SCALE 3.000



CUSTOMER OUTLINE DRAWING

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE:
<0.5mm 0.5 - 6mm 6 - 30mm 30 - 120mm ANGLES
\pm 0.05mm \pm 0.1mm \pm 0.2mm \pm 0.3mm \pm 1°
NOTICE - These drawings, specifications, or other data (I) are, and remain the
property of Amphenol corp. (2) must be returned upon request; and (3) are
confidential and not to be disclosed to any person other than those to whom they
are given by Amphenol Corp. the furnishing of these drawings, specifications, or
other data by Amphenol Corp., or to any other person to anyone for any purpose is
not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any
product, process or design, patented or otherwise, that may in any way be related to
or disclosed by said drawings, specifications, or other data.

26,9

[1.059]

MATERIAL	DRAWN S.DUAN	DATE 23-Feb-17	T
	ENGINEER S.HSIEH	DATE 08 - Sep - 06	
REFERENCE AND	APPROVED S.HSIEH	DATE 27-Feb-17	SC A
CONFIGURATION LEVEL: In Work	CAD FILE	21 160 11	307
FINISH			

TITLE		
BNC BULKHEAD		
RECEPTACLE J	ACK	
		DR
SCALE: 2.0:1.0 SHEET	3 OF 3	 T
DWG SIZĖ	REV	
R	K	PAF

Arr	iphenol RF	
W W V	v.amphenolrf.com	
RAWING NO). B6351D4-ND3G-50	
TEM NO.	016351AAF01ND5F	
ART NO.	112575	