

Within Series Adaptor 37_TNC-50-0-2/133_N

Description

Panel adaptor jack/jack, flange mount
TNC jack (female) / TNC jack (female)

Interface standard
Series TNC - IEC 60169-17_MIL-STD-348A/313_CECC 22200



Technical Data

Electrical Data

Impedance	50 Ω
Interface frequency max.	11 GHz
VSWR	DC - 9 GHz ≤ 1.09 + 0.16 f (GHz)
Frequency range	9 to 11 GHz
Return loss	≥ 7 dB

Mechanical Data

Number of matings	500
Weight	0.0153 kg

Environmental Data

Operating temperature 2011/65/EC (RoHS)	-65 °C to 165 °C compliant
--	-------------------------------

Material Data

Interface - TNC jack (female)

Piece Parts	Material	Surface Plating
Centre contact	Copper Beryllium Alloy	Gold Plating (Nickel underplated)
Outer contact	Brass	SUCOPLATE (R) Plating
Body	Brass	SUCOPLATE (R) Plating
Insulator	PFA / PTFE	

Interface - TNC jack (female)

Piece Parts	Material	Surface Plating
Centre contact	Copper Beryllium Alloy	Gold Plating (Nickel underplated)
Outer contact	Brass	SUCOPLATE (R) Plating
Body	Brass	SUCOPLATE (R) Plating
Insulator	PFA / PTFE	

Related Documents

Outline drawing	DOU-00013528
Mounting hole	DPA-00005504

Ordering Information

Single package	37_TNC-50-0-2/133_NE
----------------	----------------------