


<p>ADS-N8-2.4/8</p>	<p>N Jack To 2.4 Jack 18GHz VSWR 1.15</p>	<p>50Ω</p>															
<div style="text-align: center;">  <p>5/8-24UNEF-2A</p> <p>13[.512] HEX</p> <p>32.1 [1.264]</p> <p>2</p> <p>"2.4"</p> <p>AF. 11[.433]</p> <p>M7X0.75P</p> </div> <p>VSWR1.15 : 1 Max Up To 18GHz</p>																	
<table border="1"> <thead> <tr> <th>Parts</th> <th>Material</th> <th>Plating (Micro-inch)</th> </tr> </thead> <tbody> <tr> <td>Ferrule</td> <td>Brass</td> <td>Tin-Zinc-Copper-Alloy 100 Over Copper 50</td> </tr> <tr> <td>Contact Pin</td> <td>Beryllium Copper</td> <td>Gold 4 Over Nickel-Phosphorus Alloy 80 Over Copper 20</td> </tr> <tr> <td>Insulator</td> <td>Teflon</td> <td></td> </tr> <tr> <td>Body</td> <td>Stainless Steel</td> <td>Passivated</td> </tr> </tbody> </table>	Parts	Material	Plating (Micro-inch)	Ferrule	Brass	Tin-Zinc-Copper-Alloy 100 Over Copper 50	Contact Pin	Beryllium Copper	Gold 4 Over Nickel-Phosphorus Alloy 80 Over Copper 20	Insulator	Teflon		Body	Stainless Steel	Passivated		
Parts	Material	Plating (Micro-inch)															
Ferrule	Brass	Tin-Zinc-Copper-Alloy 100 Over Copper 50															
Contact Pin	Beryllium Copper	Gold 4 Over Nickel-Phosphorus Alloy 80 Over Copper 20															
Insulator	Teflon																
Body	Stainless Steel	Passivated															

This part number complies with RoHS.

Notice: JYEBAO reserves the right to make modifications demand appropriate.