



5. VSWR NOT TO EXCEED 1.25 : 1 THRU .18 GHz
4. RECEPTACLE TO MEET OR EXCEED ALL SPECIFICATIONS PER MIL-39012
3. FINISH:
 BODY: PASSIVATE PER QQ-P-35
 CONTACT: GOLD PER MIL-G-45204-1 TYPE II, CLASS 2, OVER COPPER PER MIL-C-14950, CLASS 4
2. MATERIAL:
 BODY: STAINLESS STL PER QQ-S-761 TYPE 303
 CONTACT: BERYL, COPPER PER QQ-C-530
 INSULATOR: TEFLON PER MIL-P-15418A
1. MATING DIMS IN ACCORDANCE WITH: MIL-STD-348

NOTES :

NOTICE
 The drawing conforms to CONFIDENTIAL/proprietary design prepared by United Microwave Products, Inc. and all design, material, and reproduction use and sale rights reserved. The term, "as reproduced" and "as shown" are not to be construed as a warranty for a specified purpose or the suitability of the product for a particular application. The purchaser agrees by accepting the drawing not to sue, sue or claim any patent rights in or to any process or method of manufacture or to any design, material or other rights reserved or to be claimed by United Microwave Products, Inc.

TOLERANCES AND NOTES EXCEPT AS NOTED
 DIMENSIONS ARE IN INCHES
 LINEAR .004 .002 ANGULAR ±10° FRACTION 4° 5' 30" ± 0.10°
 1. MACHINED FINISH RMS
 2. BREAK A 1 SHARP EDGES .002
 3. ALL MACHINED SURFACES TO BE FLATTENED TO RESPECT 2 AXES WITHIN .002 P-R INCH
 4. ALL MACHINED SURFACES TO BE FLATTENED TO RESPECT 2 AXES WITHIN .002 P-R INCH
 5. MACHINED DIMENSIONS TO BE
 CONSIDERED UNLESS OTHERWISE SPECIFIED
 6. DIMENSIONS TO BE MET BEFORE PLATING
 7. CHAMFER .5X TO BE MET BEFORE PLATING
 8. THREADS PER ANSI
 9. REMOVE TRAPPED EDGES ON T-FUNCTION
 10. REMOVE ALL BURRS

WEIGHT	SCALE	UNITED MICROWAVE PRODUCTS Inc.		LOCKHEED	PROC. ITEM#
N/A	NONE	MATERIAL	SIZE	SPECIFICATION	
		SMA JACK 4 HOLE .375 SQ. FLANGE MOUNT			
		EXTEND D STRAIGHT TERMINAL CAPTIVE CONT/CT			
		336-CC375SF2.10			